

SEDIMENTOLOGY

The Journal of the International Association of Sedimentologists *edited by*
P. Haughton, S. Bennett, I. Montañez, C. Spötl

Volume 49 2002



Blackwell
Publishing

Contents

NUMBER 1

- 1 Fifty years of the IAS and *Sedimentology*
- 3 Editorial
- 5 J. T. Andrews, R. Kihl, G. B. Kristjansdottir, L. M. Smith, G. Helgadóttir, A. Geirsdóttir and A. E. Jennings. Holocene sediment properties of the East Greenland and Iceland continental shelves bordering Denmark Strait (64–68°N), North Atlantic
- 25 L. J. Strachan. Slump-initiated and controlled syndepositional sandstone remobilization: an example from the Namurian of County Clare, Ireland
- 43 N. F. Glasser and M. J. Hambrey. Sedimentary facies and landform genesis at a temperate outlet glacier: Soler Glacier, North Patagonian Icefield
- 65 D. Netoff. Seismogenically induced fluidization of Jurassic erg sands, south-central Utah
- 81 J. H. Van den Berg, A. Van Gelder and D. R. Mastbergen. The importance of breaching as a mechanism of subaqueous slope failure in fine sand
- 97 C. M. S. Scherer. Preservation of aeolian genetic units by lava flows in the Lower Cretaceous of the Paraná Basin, southern Brazil
- 117 B. W. Fouke, A. L. Zerkle, W. Alvarez, K. O. Pope, A. C. Ocampo, R. J. Wachtman, J. M. Grajales Nishimura, P. Claeys and A. G. Fischer. Cathodoluminescence petrography and isotope geochemistry of KT impact ejecta deposited 360 km from the Chicxulub crater, at Albion Island, Belize
- 139 L. Pomar, A. Obrador and H. Westphal. Sub-wavebase cross-bedded grainstones on a distally steepened carbonate ramp, Upper Miocene, Menorca, Spain
- 171 C. Taberner, J. D. Marshall, J. P. Hendry, C. Pierre and M. F. Thirlwall. Celestite formation, bacterial sulphate reduction and carbonate cementation of Eocene reefs and basinal sediments (Igualada, NE Spain)
- 191 W. G. Nickling, C. McKenna Neuman and N. Lancaster. Grainfall processes in the lee of transverse dunes, Silver Peak, Nevada
- 211 D. Paphitis, M. B. Collins, L. A. Nash and S. Wallbridge. Settling velocities and entrainment thresholds of biogenic sands (shell fragments) under unidirectional flow

NUMBER 2

- 227 Y. Wu and H. S. Chafetz. Stable isotopic signature of a palaeoaquifer, Mississippian Alamogordo Member limestones, Sacramento Mountains, New Mexico, USA
- 237 R. Raiswell, S. H. Bottrell, S. P. Dean, J. D. Marshall, A. Carr and D. Hatfield. Isotopic constraints on growth conditions of multiphase calcite–pyrite–barite concretions in Carboniferous mudstones
- 255 T. Marsset and V. Bellec. Late Pleistocene–Holocene deposits of the Rhône inner continental shelf (France): detailed mapping and correlation with previous continental and marine studies
- 277 A. L. Troedson and J. L. Smellie. The Polonez Cove Formation of King George Island, Antarctica: stratigraphy, facies and implications for mid-Cenozoic cryosphere development

- 303 A. M. Alonso-Zarza, Y. Sánchez-Moya, M. A. Bustillo, A. Sopena and A. Delgado. Silicification and dolomitization of anhydrite nodules in argillaceous terrestrial deposits: an example of meteoric-dominated diagenesis from the Triassic of central Spain
- 319 K. Kataoka and T. Nakajo. Volcaniclastic resedimentation in distal fluvial basins induced by large-volume explosive volcanism: the Ebisutoge-Fukuda tephra, Plio-Pleistocene boundary, central Japan
- 335 T. A. Hickson and D. R. Lowe. Facies architecture of a submarine fan channel–levee complex: the Juniper Ridge Conglomerate, Coalinga, California
- 363 P. V. Villard and P. D. C-borne. Visualization of wave-induced suspension patterns over two-dimensional bedforms

NUMBER 3

- 379 O. Sandström and S. Kershaw. Ludlow (Silurian) stromatoporoid biostromes from Gotland, Sweden: facies, depositional models and modern analogues
- 397 M. Felix. Flow structure of turbidity currents
- 421 C. Montenat, P. Barrier and P. Ott d'Estevou. The Vigny limestones: a record of Palaeocene (Danian) tectonic-sedimentary events in the Paris Basin
- 441 D. Baines, D. G. Smith, D. G. Froese, P. Bauman and G. Nimeck. Electrical resistivity ground imaging (ERGI): a new tool for mapping the lithology and geometry of channel-belts and valley-fills
- 451 B. Novak and S. Björck. Late Pleistocene–early Holocene fluvial facies and depositional processes in the Fehmarn Belt, between Germany and Denmark, revealed by high-resolution seismic and lithofacies analysis
- 467 H. Momiji and S. R. Bishop. Estimating the windward slope profile of a barchan dune
- 483 J. S. Doucette. Geometry and grain-size sorting of ripples on low-energy sandy beaches: field observations and model predictions
- 505 G. Dam. Sedimentology of magmatically and structurally controlled outburst valleys along rifted volcanic margins: examples from the Nuussuaq Basin, West Greenland
- 533 M. Pedley and M. Grasso. Lithofacies modelling and sequence stratigraphy in microtidal cool-water carbonates: a case study from the Pleistocene of Sicily, Italy
- 555 B. Pittet, F. S. P. Van Buchem, H. Hillgärtner, P. Razin, J. Grötsch and H. Droste. Ecological succession, palaeoenvironmental change, and depositional sequences of Barremian–Aptian shallow-water carbonates in northern Oman
- 583 M. E. J. Wilson and S. W. Lokier. Siliciclastic and volcaniclastic influences on equatorial carbonates: insights from the Neogene of Indonesia
- 603 A. D. Heap, G. R. Dickens, L. K. Stewart and K. J. Woolfe. Holocene storage of siliciclastic sediment around islands on the middle shelf of the Great Barrier Reef Platform, north-east Australia
- 623 W. D. McCaffrey, S. Gupta and R. Brunt. Repeated cycles of submarine channel incision, infill and

transition to sheet sandstone development in the Alpine Foreland Basin, SE France

637 Book reviews

NUMBER 4

643 Editorial

645 *F. Felletti*. Complex bedding geometries and facies associations of the turbiditic fill of a confined basin in a transpressive setting (Castagnola Fm., Tertiary Piedmont Basin, NW Italy)

669 *R. B. Wynn, P. P. E. Weaver, D. G. Masson and D. A. V. Stow*. Turbidite depositional architecture across three interconnected deep-water basins on the north-west African margin

697 *M. Van Geet, R. Swennen, C. Durmishi, F. Roure and Ph. Muchez*. Paragenesis of Cretaceous to Eocene carbonate reservoirs in the Ionian fold and thrust belt (Albania): relation between tectonism and fluid flow

719 *I. G. Stanistreet and H. Stollhofen*. Hoanib River flood deposits of Namib Desert interdunes as analogues for thin permeability barrier mudstone layers in aeolianite reservoirs

737 *D. Chen, M. E. Tucker, J. Zhu and M. Jiang*. Carbonate platform evolution: from a bioconstructed platform margin to a sand-shoal system (Devonian, Guilin, South China)

765 *E. Arnaud and C. H. Eyles*. Glacial influence on Neoproterozoic sedimentation: the Smalfjord Formation, northern Norway

789 *A. Neal, N. I. Pontee, K. Pye and J. Richards*. Internal structure of mixed-sand-and-gravel beach deposits revealed using ground-penetrating radar

805 *N. P. Mountney and D. B. Thompson*. Stratigraphic evolution and preservation of aeolian dune and damp/wet interdune strata: an example from the Triassic Helsby Sandstone Formation, Cheshire Basin, UK

835 *K. A. Campbell, K. A. Rodgers, J. M. A. Brotheridge and P. R. L. Browne*. An unusual modern silica-carbonate sinter from Pavlova spring, Ngatamariki, New Zealand

855 *J. Peckmann, J. L. Goedert, V. Thiel, W. Michaelis and J. Reitner*. A comprehensive approach to the study of methane-seep deposits from the Lincoln Creek Formation, western Washington State, USA

875 *A. Aranburu, P. A. Fernández-Mendiola, M. A. López-Horgue and J. García-Mondejar*. Syntectonic hydrothermal calcite in a faulted carbonate platform margin (Albian of Jorrios, northern Spain)

NUMBER 5

891 *T. E. Törnqvist and J. S. Bridge*. Spatial variation of overbank aggradation rate and its influence on avulsion frequency

907 *C. M. Choux and T. H. Druitt*. Analogue study of particle segregation in pyroclastic density currents, with implications for the emplacement mechanisms of large ignimbrites

929 *L. Gurioli, R. Cioni, A. Sbrana and E. Zanella*. Transport and deposition of pyroclastic density currents

over an inhabited area: the deposits of the AD 79 eruption of Vesuvius at Herculaneum, Italy

955 *V. Manville, B. Segsneider and J. D. L. White*. Hydrodynamic behaviour of Taupo 1800a pumice: implications for the sedimentology of remobilized pyroclasts

977 *I.-G. Hwang and P. L. Heller*. Anatomy of a transgressive lag: Panther Tongue Sandstone, Star Point Formation, central Utah

1001 *G. D. Veiga, L. A. Spalletti and S. Flint*. Aeolian/fluvial interactions and high-resolution sequence stratigraphy of a non-marine lowstand wedge: the Avilé Member of the Agrio Formation (Lower Cretaceous), central Neuquén Basin, Argentina

1021 *M. Elrick and A. C. Snider*. Deep-water stratigraphic cyclicity and carbonate mud mound development in the Middle Cambrian Marjum Formation, House Range, Utah, USA

1049 *B. Makaske, D. G. Smith and H. J. A. Berendsen*. Avulsions, channel evolution and floodplain sedimentation rates of the anastomosing upper Columbia River, British Columbia, Canada

1073 *A. Sáez and L. Cabrera*. Sedimentological and palaeohydrological responses to tectonics and climate in a small, closed, lacustrine system: Oligocene As Pontes Basin (Spain)

1095 *E. J. Anthony, L. M. Oyédé and J. Lang*. Sedimentation in a fluvially infilling, barrier-bound estuary on a wave-dominated, microtidal coast: the Ouémé River estuary, Benin, west Africa

1113 *F. Pomoni-Papaioannou and V. Karakitsios*. Facies analysis of the Trypali carbonate unit (Upper Triassic) in central-western Crete (Greece): an evaporite formation transformed into solution-collapse breccias

NUMBER 6

1133 *G. L. England, B. Rasmussen, B. Krapez and D. I. Groves*. Palaeoenvironmental significance of rounded pyrite in siliciclastic sequences of the Late Archaean Witwatersrand Basin: oxygen-deficient atmosphere or hydrothermal alteration?

1157 *S. F. Leclair*. Preservation of cross-strata due to the migration of subaqueous dunes: an experimental investigation

1181 *D. Mellere, P. Plink-Björklund and R. Steel*. Anatomy of shelf deltas at the edge of a prograding eocene shelf margin, Spitsbergen

1207 *L. A. Melim and P. A. Scholle*. Dolomitization of the capitan formation forereef facies (Permian, west Texas and New Mexico): seepage reflux revisited

1229 *J. Knight, J. D. Orford, P. Wilson and S. M. Braley*. Assessment of temporal changes in coastal sand dune environments using the log-hyperbolic grain-size method

1253 *S. A. Guidry and H. S. Chafetz*. Factors governing subaqueous siliceous sinter precipitation in hot springs: examples from Yellowstone National Park, USA

1269 *P. A. Carling and A. B. Shvidchenko*. A consideration of the dune:antidune transition in fine gravel

- 1283 *B. R. Turner and I. Makhlof.* Recent colluvial sedimentation in Jordan: fans evolving into sand ramps
- 1299 *P. Lesueur, J. P. Tastet and O. Weber.* Origin and morphosedimentary evolution of fine-grained modern continental shelf deposits: the Gironde mud fields (Bay of Biscay, France)
- 1321 *F. P. Buonocunto, M. Sprovieri, A. Bellanca, B. D'Ar-genio, V. Ferreri, R. Neri and G. Ferruzza.* Cyclostratigraphy and high-frequency carbon isotope fluctuations in Upper Cretaceous shallow-water carbonates, southern Italy
- 1339 *A. C. Azerêdo, V. P. Wright and M. M. Ramalho.* The Middle-Late Jurassic forced regression and dis-conformity in central Portugal: eustatic, tectonic and climatic effects on a carbonate ramp system
- 1371 *E. L. Piovano, D. Ariztegui and S. D. Moreira.* Recent environmental changes in Laguna Mar Chiquita (central Argentina): a sedimentary model for a highly variable saline lake
- 1385 *J. P. Rodríguez-Aranda, J. P. Calvo and M. E. Sanz-Montero.* Lower Miocene gypsum palaeokarst in the Madrid Basin (central Spain): dissolution diagenesis, morphological relics and karst end-products
- 1401 *A. Molina-Cruz, L. Pérez-Cruz and M. A. Monreal-Gómez.* Laminated sediments in Bay of La Paz, Gulf of California: a depositional cycle regulated by pluvial flux
- 1411 *K. I. Skene, D. J. W. Piper and P. S. Hill.* Quantitative analysis of variations in depositional sequence thick-ness from submarine channel levees
- 1431 *J. Best.* Author index

